

# SECTION 1: Identification

#### **Product identifier**

Product name Glass Serum

Product number g33dxx
Brand Dr. Beasley's

# Recommended use of the chemical and restrictions on use

Glass Coating & Protectant

### Supplier's details

Name Dr. Beasley's

Address 1439 W Shakespeare Ave

Chicago, IL 60614 United States

Telephone 773-404-1600 email jim@drbeasleys.com

•

773-710-2100

# **SECTION 2: Hazard identification**

**Emergency phone number(s)** 

# Classification of the substance or mixture

# GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Aspiration hazard (chapter 3.10), Cat. 1
- Eye damage/irritation (chapter 3.3), Cat. 2A
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3

# GHS label elements, including precautionary statements

# **Pictogram**



1. Health hazard; 2. Exclamation mark

Signal word Danger

Hazard statement(s)

H304 May be fatal if swallowed and enters airways

H319 Causes serious eye irritation
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor/... if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

# SECTION 3: Composition/information on ingredients

#### **Substances**

# Components

Component	Concentration
Component 1 (trade secret)	70 %
Component 2 (trade secret)	20 %

### Trade secret statement (OSHA 1910.1200(i))

The identity of the specific components of this mixture is proprietary information and is regarded to be a trade secret, in accordance with the provisions of paragraph 1910.1200 of Title 29 of the Code of Federal Regulations. Please refer to Section 2 for Health hazard identification.

# **SECTION 4: First-aid measures**

# Description of necessary first-aid measures

If inhaled Remove to fresh air and promote deep breathing. Get medical attention if

effects persist.

Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache,

hoarseness, and nose and throat pain.

In case of skin contact Wash with plenty of soap and water. Get medical attention if irritation

develops or persists.

Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

In case of eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If irritation persists, get medical

attention

Acute and delayed symptoms and effects: May cause eye irritation.

Signs/symptoms may include redness, swelling, pain, tearing, and blurred or

hazy vision.

If swallowed Do not induce vomiting. Do not give liquids. Obtain emergency medical

attention.

Acute and delayed symptoms and effects: Aspiration hazard. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain,

stomach upset, nausea, vomiting and diarrhea.

# Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

# Indication of immediate medical attention and special treatment needed, if necessary

Symptoms may not appear immediately. Seek medical attention if effects persist and you feel unwell.

# **SECTION 5: Fire-fighting measures**

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# Specific hazards arising from the chemical

Carbon oxides

# Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

## **Further information**

Use water spray to cool unopened containers.

# SECTION 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### **Environmental precautions**

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

# Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# Precautions for safe handling

Avoid contact with skin and eyes. Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. For precautions see section 2.

# Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

# **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

# CAS: (not specified)

Component 1 (trade secret)

ACGIH (USA): 200 ppm, (ST) 400 ppm TLV® inhalation; Cal/OSHA: 400 ppm, (ST) 500 ppm PEL inhalation; NIOSH: 400 ppm, (ST) 500 ppm REL inhalation; OSHA: 400 ppm PEL inhalation; 980 mg/m3 PEL inhalation Component 2 (trade secret)

ACGIH (USA): 250 ppm, (ST) 500 ppm TLV® inhalation; Cal/OSHA: 500 ppm, (ST) 750 ppm, (C) 3000 ppm PEL inhalation; NIOSH: 250 ppm REL inhalation; OSHA: 1000 ppm PEL inhalation; 2400 mg/m3 PEL inhalation

# Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

# Individual protection measures, such as personal protective equipment (PPE)

# Eye/face protection

Safety glasses are recommended if splash hazard.

#### Skin protection

Wear protective gloves, such as nitrile gloves.

#### **Body protection**

Wear suitable protective clothing.

### Respiratory protection

Provide good ventilation. Respiratory protection is not required under normal use conditions.

# SECTION 9: Physical and chemical properties

# Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)

Odor

Odor threshold

рΗ

Melting point/freezing point

Initial boiling point and boiling range

Flash point Evaporation rate

Flammability (solid, gas) Upper/lower flammability limits Upper/lower explosive limits

Vapor pressure Vapor density Relative density

Solubility(ies)

Clear liquid

Characteristic No data available.

No data available.

No data available. 180° F

53° F (Ether=1) < 1No data available.

No data available. No data available. (68 deg. F) < 1

(Air=1.0) > 1 $(H_2O=1) - .8$ 

Partially water soluble

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

Explosive properties

Oxidizing properties

No data available.

# Other safety information

No data available.

# **SECTION 10: Stability and reactivity**

### Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

# **Chemical stability**

Stable under normal storage conditions.

# Possibility of hazardous reactions

No data available.

# Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

# Incompatible materials

No data available.

----

Isopropanol: Oxidizing agents, Acid anhydrides, Aluminium, Halogenated compounds, Acids

### Hazardous decomposition products

No data available.

----

Isopropanol: Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# Information on toxicological effects

### **Acute toxicity**

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Acute and delayed symptoms and effects from inhalation, skin and eye contact and ingestion are listed in Section 4.

Components:

**ACETONE** 

LD50 Oral - Rat - 5,800 mg/kg

LC50 Inhalation - Rat - 50,100 mg/m3 - 8 h

LD50 Dermal - Guinea pig - 7,426 mg/kg

Synthetic isoparaffinic hydrocarbon

LD50 Oral - 5000 mg/kg LD50 Skin - 5000 mg/kg LC50 Inhalation - >20 mg/l

----

Component 2: LD50 Oral - Rat - 5,800 mg/kg

Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Tremor.

Behavioral: Headache.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

LC50 Inhalation - Rat - 8 h - 50,100 mg/m3

Remarks: Drowsiness Dizziness Unconsciousness

LD50 Dermal - Guinea pig - 7,426 mg/kg

No data available

### Skin corrosion/irritation

Based on available data, classification data are not met

# Serious eye damage/irritation

Based on available data, classification data are not met

# Respiratory or skin sensitization

Based on available data, classification data are not met

### Germ cell mutagenicity

Based on available data, classification data are not met

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH,NTP, or EPA classification

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

Based on available data, classification data are not met

#### STOT-single exposure

Based on available data, classification data are not met

# STOT-repeated exposure

Based on available data, classification data are not met

# **Aspiration hazard**

May be fatal if swallowed and enters airways

# **SECTION 12: Ecological information**

# **Toxicity**

No data available on product.

Components:

**ACETONE** 

LC50 - Daphnia magna (Water flea) - 8,800 mg/l - 48 hr

# Persistence and degradability

No data available on product.

# **Bioaccumulative potential**

No data available on product.

# Mobility in soil

No data available on product.

### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### Other adverse effects

No data available on product.

# **SECTION 13: Disposal considerations**

# Disposal of the product

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

# Disposal of contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### IATA

Not dangerous goods

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations specific for the product in question

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313: Isopropyl alcohol

CAS number: 67-63-0

Pennsylvania Right To Know Components

Isopropyl alcohol CAS number: 67-63-0

Chemical name: 2-Propanone

CAS number: 67-64-1

**New Jersey Right To Know Components** 

Isopropyl alcohol CAS number: 67-63-0

Common name: ACETONE CAS number: 67-64-1

**Massachusetts Right To Know Components** 

Isopropyl alcohol CAS number: 67-63-0

Chemical name: Acetone CAS number: 67-64-1

# **SECTION 16: Other information**

# Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Dr. Beasley's be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Dr. Beasley's has been advised of the possibility of such damages.